



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200
Fax 613 632-5246

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO042428	MEC002-VU	1	1	Net 30	M7075T6S0.375X8.000	7075-T6S Sheet .375" Thick Plate X 8" Wide : MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 OR MATERIAL: 7075-T6/T62/T651/ALCLAD ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4048 / 4049 OR ASTM B209 receive ft				36	2/25/2019	36		S155923	Stock	2/22/2019	\$ 26.25 / ft	3		\$945.00	Metaux Castle
		3			M7075T6S1.000X5.000	7075-T6 Sheet 1" Thick Plate X 5" Wide : MAT'L 7075-T6/T62 ALUMINUM SHEET SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209 receive ft				24	2/24/2019	24		S156073	Stock	2/22/2019	\$ 41.15 / ft	3		\$990.89	Metaux Castle
		4			M7075T6B2.000X00.750	7075-T6 Bar 2.000' X 0.750" : MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 receive ft				12	2/9/2018	12		S156127	Stock	2/22/2019	\$ 30.35 / ft	3		\$364.20	Metaux Castle

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
		6			M7075T6S.050	7075-T6 Sheet .050 7075-T6S Sheet 2" Thick Plate X 0.75" Wide : MAT'L 7075-T6/T62 ALUMINUM SHEET SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209				48	2/6/2018	48		S155922	Stock	2/22/2019	\$ 10.30 / sf	3		\$494.40	Melaux Castle
										Total:	120	120								\$2,794.49	

Plex 2/25/2019 10:47 AM dart.Tollis.Andrew



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042428



Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Stn A
Toronto
ON
M5W OE9 Canada

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO042428

PO Date: 1/29/19

Due Date: 2/25/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

E-MAILED
JAN 29 2019

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1 <i>AK</i>		M7075T6S0.375X8.000		7075-T6S Sheet .375" Thick Plate X 8" Wide : MATERIAL: 7075- T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 OR MATERIAL: 7075- T6/T62/T65/ ALCLAD ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A- 250/13 OR AMS 4048 / 4049 OR ASTM B209 receive ft	Firmed	-	2/25/19	36 ft	0 ft <i>36ft</i>	36 ft <i>At 1/29/19</i>	\$26.25/ft	\$945.00



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042428



Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
2		M7075T6S0.625X10.000		7075-T6S Sheet 0.625" Thick Plate X 10" Wide : MATERIAL: 7075- T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 OR MATERIAL: 7075- T6/T62/T65/ ALCLAD ALUMINUM SHEET OR PLATE SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A- 250/13 OR AMS 4048 / 4049 OR ASTM B209	Firmed	-	2/25/19	4 ft	0 ft	4 ft	\$92.00/ft	\$368.00
3		M7075T6S1.000X5.000		7075-T6 Sheet1" Thick Plate X 5" Wide : MAT'L 7075- T6/T62 ALUMINUM SHEET SPECS QQ-A- 250/12 OR AMS- QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075- T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A- 250/13 OR AMS- QQ-A-250/13 OR AMS 4049 OR PER ASTM B209 receive ft	Firmed	-	2/25/19	24 ft ✓ 24.08ct	0 ft	24 ft	\$41.15/ft AT 19/02/25	\$987.60



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042428



Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
4		M7075T6S2.000X0.750		7075-T6S Sheet 2" Thick Plate X 0.75" Wide : MAT'L 7075- T6/T62 ALUMINUM SHEET SPECS QQ-A- 250/12 OR AMS- QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075- T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A- 250/13 OR AMS- QQ-A-250/13 OR AMS 4049 OR PER ASTM B209 receive ft	Firmed -		2/25/19	12 ft	0 ft	12 ft	\$30.35/ft	\$364.20
5		M7075T6S4.000X4.000		7075-T6 Sheet 4.000' X 4.000" cut to size: 32" LONG 7075-T6S Sheet 2" Thick Plate X 0.75" Wide : MAT'L 7075- T6/T62 ALUMINUM SHEET SPECS QQ-A- 250/12 OR AMS- QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075- T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A- 250/13 OR AMS- QQ-A-250/13 OR AMS 4049 OR PER ASTM B209	Firmed -		3/6/19	26.667 ft	0 ft	27 ft	\$106.12526/ft	\$2,830.04

Line Item Note note: 10 pcs cut at 32" long



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042428



Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
6		M7075T6S.050		7075-T6 Sheet .050 7075-T6S Sheet 2" Thick Plate X 0.75" Wide : MAT'L 7075- T6/T62 ALUMINUM SHEET SPECS QQ-A- 250/12 OR AMS- QQ-A-250/12 OR AMS 4045 OR PER ASTM B209 MAT'L 7075- T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A- 250/13 OR AMS- QQ-A-250/13 OR AMS 4049 OR PER ASTM B209	Firmed	-	2/25/19	48 sf	0 sf	48 sf	\$10.30/sf	\$494.40

Grand Total: \$5,989.24

Order Notes

Procurement Quality Clauses

- A005 right of entry
- A012 chemical and physical test report
- A016 personnel qualification
- A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries
- A026 certification of material conformance
- A041 quality management system
- A042 dart notification by supplier
- A043 retention of quality documents
- A048 counterfeit parts avoidance, detection, mitigation and disposition program.
- A049 supplier awareness.

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/29/19 1:00 PM dart.lavoie.chantal


INTERORG TRANSFER PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:3829059

Ship From: A. M. CASTLE & CO. 4175 ROYAL DRIVE SUITE 600 KENNESAW, GA 30144 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 15-FEB-19		F.O.B. ORIGIN		Freight Terms Prepaid		Carrier ARCBEST	
		BOL No		3829059-2			

Shipment Details Final Destination Branch - TOR

Order No 5383958	Line No 1	Item No 750067.MO	Description 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 8 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12					
Purchase Order No 42428		Part Number	Ordered Qty 3.00 PCS	Invoice Qty 3.00 PCS				
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS						
Delivery No. 122556622	Mill/Source	Heat Number  2 8 4 9 4 7 B 9 11	Mech Id 3	PCS 3	Width (IN) 8"	Length (IN) 144.5"	Shipped Qty(LBS) 136.2542	

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

Date Printed: 15-FEB-2019 01:15:08 PM

Date: Name:

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108
15000 E Euclid, Spokane Valley WA 99216
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4528208

CUSTOMER PO NUMBER: 470853-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 750067	SHIP RUN/LOAD: 104392/12	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1263284-1	SHIP DATE: 15-SEP-2018	ALLOY: 7075	CLAD: BARE	TEMPER: T651
WEIGHT SHIPPED: 2682 LB	QUANTITY: 10 PCS EST.	TRUCK B/L #: 2076090	GAUGE: 0.3750 IN (9.5250 MM)	PRODUCT DESCRIPTION: Sawed Plate
			DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)

MHU 2264266: LOT 284947B9: 10 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Lot: 284947B9 Cast 698

Drop 44

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	85.1 : 85.1 (587 : 587)	74.5 : 74.5 (514 : 514)	14.1 : 14.2

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.5	0.03	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.03

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 4



KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108
15000 E Euclid, Spokane Valley WA 99216
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4528208

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- * All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- * is free of weld repair.
- * meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

Michael Peske

Michael Peske, PT Lab Process Engineer



Page 2 of 2

SPECIFICATION CONTROL DRAWING

Line 1.
M 7075 T650-375 X 8.000

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/H2 OR AMS-QQ-A-250/H2
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/H3 OR AMS-QQ-A-250/H3
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER: M7075T6S | TTT | X | W.WWW |
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE: .TTT BY 4FT BY 10FT FOR SHEET

RELEASED
2017 JUN 19 4
E&N 17-574

APPROVED

B	ADD. REF. TO "PLATE", "T651" TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CAR16-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
REV. B SHEET 1 OF 1			
TITLE 7075-T6 SHEET/PLATE SPEC NTS			
SCALE			
COPYRIGHT © 2018 BY DART AEROSPACE LTD			
THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE RELEASED OR DISCLOSED TO THE PUBLIC OR TO OTHERS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 7650.375x8.00

PO / BATCH NO.: P0042428/5155923

DATE: 19/02/22

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 0.375"

QUANTITY RECEIVED: 36ft

THICKNESS RECEIVED: 0.375"

QUANTITY INSPECTED: 36ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORRECT FINISH	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORROSION	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORRECT MATERIAL PER M-DRAWING	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	<u>AMS-QQ-A-250/12</u>
CORRECT THICKNESS	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	<u>LT: 28494789</u>
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>61</u> DATE: <u>FEB 22 2019</u>	SIGNED OFF BY: _____ DATE: _____


Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

INTERORG TRANSFER PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 1 of 1


Shipment No:3828019

Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 14-FEB-19		F.O.B. ORIGIN		Freight Terms Prepaid		Carrier ARCBEST	
						BOL No 3828019-2	
Final Destination Branch - TOR							

Shipment Details							
Order No 5383958	Line No 3	Item No 752188.MO	Description 1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No 42428		Part Number		Ordered Qty 2.00 PCS		Invoice Qty 2.00 PCS	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No. 122555659	Mill/Source	Heat Number 	Mech Id	PCS 2	Width (IN)	Length (IN)	Shipped Qty(LBS) 150.4697

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:  Date:
 Name:

SHIP TO: A M CASTLE & CO 3050 SOUTH HYDRAULIC WICHITA, KS 67216
SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4535335

CUSTOMER PO NUMBER: 474184-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 752188	SHIP RUN/LOAD: 104441/3	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1265483-1	SHIP DATE: 3-NOV-2018	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: KaiserSelect Plate				
WEIGHT SHIPPED: 4326 LB (1962.26 KG)	QUANTITY: 6 PCS EST.	TRUCK B/L #: 2077086	GAUGE: 1.0000 IN (25.4000 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
LENGTH: 144.500 IN (3670.3 MM)				

MHU 2282649: LOT 717404B8: 5 pieces;

MHU 2282652: LOT 717404B8: 1 pieces;

Certified Specifications

AMS 4045/RevL
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevV
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevC
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Lot: 717404B8

Cast 713

Drop 65

Test Results

Ingot 4

Parent Lot: 282431B6

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	83.8 : 83.9 (578 : 578)	74.6 : 74.7 (514 : 515)	14.4 : 14.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.18	1.4	0.03	2.5	0.19	5.6	0.03	0.01	0.01	TOT 0.04

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403 R 10



KAISER ALUMINUM

Trentwood Works
PO Box 15108, Spokane Valley WA 99215-5108
15000 E Euclid, Spokane Valley WA 99216
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4535335

TEST NOTES

Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (<1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



Michael Peske, PT Lab Process Engineer



SPECIFICATION CONTROL DRAWING

Line 3.

M7075 T6S 1.000 X 5.000

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE
SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER: M7075T6S | TTT | X | W.WWW |
THK | WIDTH

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE: TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19 47
E-N 17-574

APPROVED

B	ADD. REF. TO "PLATE", "T651" TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CAR16-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAYKESBURY, ONTARIO, CANADA			
DRAWING NO M7075T6S			
TITLE 7075-T6 SHEET/PLATE SPEC			
REV. B SHEET 1 OF 1 SCALE NTS			
THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6S1.000x5.000

PO / BATCH NO.: P0042428/S156073

DATE: 14/02/25

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 1.000"

QUANTITY RECEIVED: 24.08ft

THICKNESS RECEIVED: 1.030"

QUANTITY INSPECTED: 24.08ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	Y <input checked="" type="checkbox"/> N	AMS-QQ-A-250/12
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N	LT: 71740488
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS 61</u>	SIGNED OFF BY: _____		
DATE: <u>FEB 25 2019</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 1

Shipment No:3834016

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 21-FEB-19	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 3834016-2

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 5383958	Line No 6	Item No 701634	Description 0.7500.2.0000.RECT.7075.T651.ALUMINUM.144.0000 SPECIFICATIONS: AMS-QQ-A-225/9		
Purchase Order No 42428	Part Number	Ordered Qty 12.00 FT	Invoice Qty 12.0000 FT		
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No. 122553477	Mill/Source KAISER ALUMINUM	Heat Number 	Mech Id	PCS 1	Width (IN)
					Length (IN) 144.0000
					Shipped Qty(LBS) 21.6000

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: FEB 21 2019 Name: 



KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER 348282-1		CUSTOMER PART NUMBER 701634	PRODUCT DESCRIPTION Cold Finished Rectangle		
KAISER ORDER NUMBER 706137	LINE ITEM 1	SHIP DATE 08/31/2015	ALLOY 7075	TEMPER T651	
WEIGHT SHIPPED 1723 lbs.	QUANTITY 79 pcs.	B/L NUMBER 38668	DIAM/DAF/THKNS 0.750 in.	WIDTH 2.000 in.	LENGTH 144.0 in.
SHIP TO A M Castle & Co. 4175 Royal Drive, Suite 600 Kennesaw, GA 30144 USA			SOLD TO A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
------------	---------------------	---------------------	----------------------

Chemical Composition, WT. % (Aluminum Remainder)

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
----	----	----	----	----	----	----	----	----------------	-----------------	-----

Specifications

Aluminum 7075-T651, 0.750 in. thick, 2.000 in. wide, 144.0 in. long, 1723 lbs. net weight, 79 pcs.

SEP 02 2015



CERTIFICATION

This Aluminum 7075-T651, 0.750 in. thick, 2.000 in. wide, 144.0 in. long, 1723 lbs. net weight, 79 pcs. was tested and found to meet the requirements of the specification.

Tested by: [Signature]

Tested by: [Signature]

Tested by: [Signature]

Tested by: [Signature]

Tested by: [Signature]

Tested by: [Signature]

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



<http://Online.KaiserAluminum.com>

Figure 1

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

100-2-1111 276421
 100-2-1111 276421



DESIGN <i>#</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>#</i>	DRAWING NO. 7075T6B	REV. B SHEET 1 OF 1
DATE 06.11.24		TITLE 7075-T6 BAR	SCALE NTS
A	05.07.20	NEW ISSUE	
B	06.11.24	REMOVED "ROUND" FROM BAR DESCRIPTION	

RELEASED
06.11.24

Line 4.
M7075T6B2.000 x 00.750

PURCHASE MATERIAL: 7075-T6 (OR T651/ T6510/ T6511/ T62) ALUMINUM BAR
PER AMS-QQ-A-225/9 (OR AMS 4122/ 4123/ 4186/ 4187) OR
PER AMS-QQ-A-200/11

PART NUMBER: M7075T6B

T.TTT	X	WW.WWW
THICK		WIDTH

WHERE T.TTT = THICKNESS IN INCHES
WW.WWW = WIDTH IN INCHES

EG. 1.0" x 1.5" BAR = M7075T6B1.000X01.500

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T6 2.000 40.750

PO / BATCH NO.: P0042428/156127

DATE: 1902/25

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 0.750"

QUANTITY RECEIVED: 12 ft

THICKNESS RECEIVED: 0.750"

QUANTITY INSPECTED: 12 ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	AMS-QQ-A-225/9
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	MT 20148089
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> DATE: <u>9-89 FEB 25 2019</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in


INTERORG TRANSFER PACKING SLIP/ CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:3827979

Ship From: A. M. CASTLE & CO. 4175 ROYAL DRIVE SUITE 600 KENNESAW, GA 30144 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 14-FEB-19	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier ARCBEST	BOL No 3827979-2			

Shipment Details Final Destination Branch - TOR

Order No 5383958	Line No 5	Item No 771698.MO	Description 0.0500.SH.7075.T6.ALUMINUM.BARE.48.0000.144.0000 - PROTECTIVE VINYL COATING SPECIFICATIONS: AMS 4045				
Purchase Order No 42428	Part Number	Ordered Qty 1.00 PCS	Invoice Qty 1.00 PCS				
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No. 122555677	Mill/Source	Heat Number 	Mech Id	PCS 1	Width (IN) 48"	Length (IN) 144"	Shipped Qty(LBS) 34.6021

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative _____ Date: _____ Name: _____

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4515589

CUSTOMER PO NUMBER: 463238-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 770200		SHIP RUN/LOAD: 104311/12	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1258037-1	SHIP DATE: 18-JUN-2018	ALLOY: 7075	CLAD: BARE	TEMPER: T6	PRODUCT DESCRIPTION: HT Coil
WEIGHT SHIPPED: 7535 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2074421	GAUGE: 0.0500 IN (1.2700 MM)	DIAMETER/WIDTH: 48.000 IN (1219.2 MM)	LENGTH: COIL

MHU 2227360: LOT 268003B1: 1 pieces;

MHU 2227362: LOT 268003B1: 1 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 019/RevD

AMS-QQ-A-250/12/RevA
CMMP 025/RevV

ASTM B 209/Rev14

Test Code: 1512

Lot: 268003B1 Cast 658

Drop 06

Test Results

Ingot 1

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T6	LT / 2 (Min:Max)	85.9 : 86.0 (592 : 593)	75.8 : 76.1 (523 : 525)	12.8 : 13.2

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.09	0.18	1.5	0.08	2.5	0.20	5.6	0.03	0.01	0.01	TOT 0.04

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC A97075-152 R 6





CERTIFIED TEST REPORT

Serial Number

4515589

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.

All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.

* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

* has been thermally processed in compliance with AMS 2772, where applicable.

* is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).

* is in compliance with RoHS 2, European Union Directive 2011/65/EU.

* is in compliance with European Chemical Agency, ECHA, REACH regulations, IECI No 1907/2006, and Kaiser regularly monitors these regulations for updates.

* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

* is free of weld repair.

* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

Michael Peske, PT Lab Process Engineer

SPECIFICATION CONTROL DRAWING

Line 6.
M7075T6S.050

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER:

M7075T6S | TTT | X | W.WWW |
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063

EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19

ECN 17-574

APPROVED

B	ADD: REF TO "PLATE", T651 TEMPER AMS 4048, OPTIONAL WIDTH DIM (CART-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S		REV. B	
TITLE 7075-T6 SHEET/PLATE SPEC		SHEET 1 OF 1	
SCALE NTS		SCALE	
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE RELEASED OR DISCLOSED TO THE PUBLIC WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T6S-050
 DATE: 19/02/25

PO / BATCH NO.: PD042428/S155922

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 485F
 QUANTITY INSPECTED: 485F
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.050"
 THICKNESS RECEIVED: 0.050"
 SHEET SIZE ORDERED: 4'x12'
 SHEET SIZE RECEIVED: 4'x12'

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	AMS-QQ-A-250/12
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	HT: 26800381
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> DATE: <u>9-89</u> FEB 25 2019	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in